(According to Regulation (EU) n. 305/2011) No. 01/2015

Unique identification code of the product type: 1.

Pellet boiler TERMA BIOSTARK

2. Model and/or batch and/or serial number (Art.11-4): 15 kW

Intended uses of the product in accordance with 3.

harmonised technical specification:

Heating boilers designed for the burning of solid fuels

Name or registered trade mark of the 4.

manufacturer:

KEPO d.o.o. Tulimira Divca 11, 31260 Kosjerić

Tel: +381 31 783-927

Name and address of the authorised representative 5. (Art 12-2):

System of assessment and verification of 6. constancy of performance (Annex 5):

System 3

Harmonised standard: 6.a

EN 303-5:2012

6.b Notified laboratory: In case of the declaration of performance concerning a construction product covered by a harmonised standard: EN 303-5:2012 performed by: TÜV Rheinland Polska Sp.z.o.o, performed determination of the product type on the basis of type testing EN 303-5:2012 under system 3 and

issued test report No. 2412/2015-LOK

Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Flue gas temperature	108,9 ± 0,6 °C	EN 303-5:2012
Avarage heat output	13,54± 0,65kW	
CO /13% O ₂	572 mg/m ³	
Dust /13% O ₂	39,8 mg/m ³	
OGC /13% O ₂	18 mg/m ³	
NO _x to13% O ₂	177 mg/m ³	
Energy efficiency	85,36 ± 2,9 %	
Cooling water flow	0,213 l/s	

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Place and date of issue: Kosjerić 03/01/2018

Director KEPO d.o.o Željko Blagojević:

(According to Regulation (EU) n. 305/2011) No. 01/2015

Unique identification code of the product type: 1.

Pellet boiler TERMA BIOSTARK

Model and/or batch and/or serial number (Art.11-4): 2.

20 kW

Intended uses of the product in accordance with 3.

harmonised technical specification:

Heating boilers designed for the burning of solid fuels

Name or registered trade mark of the

KEPO d.o.o. Tulimira Divca 11, 31260 Kosjerić Tel: +381 31 783-927

4. manufacturer:

Name and address of the authorised representative 5. (Art 12-2):

System of assessment and verification of constancy of performance (Annex 5):

System 3

Harmonised standard: 6.a

EN 303-5:2012

In case of the declaration of performance concerning a construction product covered by a harmonised standard: EN 303-5:2012 performed by: TÜV Rheinland Polska Sp.z.o.o, performed determination of the product type on the basis of type testing EN 303-5:2012 under system 3 and

issued test report No. 2412/2015-LOK

6.b

Notified laboratory:

Declared performance: 7.

Essential characteristics	Performance	Harmonized technical specification
Flue gas temperature	119 °C	
Avarage heat output	18,44 kW	EN 303-5:2012
CO /13% O ₂	63 mg/m ³	
Dust /13% O ₂	11,7 mg/m ³	
OGC /13% O ₂	13 mg/m ³	
NO _x to13% O ₂	. 122 mg/m ³	
Energy efficiency	88,77 %	
Cooling water flow	0,191 l/s	

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Place and date of issue: Kosjerić 03/01/2018

Director KEPO d.o.o Željko Blagojević

(According to Regulation (EU) n. 305/2011) No. 01/2015

Unique identification code of the product type:

Pellet boiler TERMA BIOSTARK

Model and/or batch and/or serial number (Art.11-4): 2.

25 kW

Intended uses of the product in accordance with 3.

harmonised technical specification:

Heating boilers designed for the burning of solid fuels

Name or registered trade mark of the

manufacturer:

KEPO d.o.o. Tulimira Divca 11, 31260 Kosjerić

Tel: +381 31 783-927

Name and address of the authorised representative

(Art 12-2):

4.

6.a

6.b

System 3

System of assessment and verification of 6. constancy of performance (Annex 5):

Harmonised standard:

EN 303-5:2012

In case of the declaration of performance concerning a construction product covered by a harmonised standard: EN 303-5:2012 performed by : TÜV Rheinland Polska Sp.z.o.o, performed determination of the product type on the basis of type testing EN 303-5:2012 under system 3 and

issued test report No. 2412/2015-LOK

Declared performance: 7.

Notified laboratory:

Essential characteristics	Performance	Harmonized technical specification
Flue gas temperature	102 °C	EN 303-5:2012
Avarage heat output	. 25 kW	
CO /13% O ₂	104 mg/m ³	
Dust /13% O ₂	12,2 mg/m ³	
OGC /13% O ₂	14 mg/m ³	
NO _x to13% O ₂	124 mg/m ³	
Energy efficiency	89,3 %	
Cooling water flow	0,191 l/s	

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Place and date of issue: Kosjerić 03/01/2018

Director KPPO d.o.o Željko Bla

(According to Regulation (EU) n. 305/2011) No. 01/2015

Unique identification code of the product type:

Pellet boiler TERMA BIOSTARK

Model and/or batch and/or serial number (Art.11-4): 2.

35 kW

Intended uses of the product in accordance with 3.

harmonised technical specification:

Heating boilers designed for the burning of solid fuels

Name or registered trade mark of the

manufacturer:

KEPO d.o.o. Tulimira Divca 11, 31260 Kosjerić

Tel: +381 31 783-927

Name and address of the authorised representative 5.

(Art 12-2):

4.

6.b

System 3

System of assessment and verification of 6. constancy of performance (Annex 5):

Harmonised standard: 6.a

Notified laboratory:

EN 303-5:2012

In case of the declaration of performance concerning a construction product covered by a harmonised standard: EN 303-5:2012 performed by : TÜV Rheinland Polska Sp.z.o.o, performed determination of the product type on the

basis of type testing EN 303-5:2012 under system 3 and

issued test report No. 2412/2015-LOK

Declared performance: 7.

Essential characteristics	Performance	Harmonized technical specification
Flue gas temperature	93 °C	
Avarage heat output	35,7 kW	EN 303-5:2012
CO /13% O ₂	186 mg/m ³	
Dust /13% O ₂	13,2 mg/m ³	
OGC /13% O ₂	14 mg/m ³	
NO _x to13% O ₂	129 mg/m ³	
Energy efficiency	90,41 %	
Cooling water flow	0,365 l/s	

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Place and date of issue: Kosjerić 03/01/2018

Director KEPO d.o.o Željko Blagojević